



Gutting line

SEMI-AUTOMATIC GUTTING

**Fast, clean and efficient
fish gutting**



Gutting line with waste disposal for clean gutting



Gutting line U1 & U2

The Gutting Line U is a single (U1) or double (U2) gutting line for salmon and several other fish types.

The machine can be used for other purposes as well, such as extracting spawn for caviar production.

The semi-automatic gutting provides a quick and clean station for the gutting of the fish.

The waste is disposed of via bin loaders, conveyors or tanks, leaving the area clean and ensuring an ergonomic working station.

Technology

The machine can as an option be delivered with height-adjustable working platforms and a separate cyclone tank with two integrated vacuum pumps.

Options

- Cyclone Tank
- Platform for Cyclone Tank
- Hose Pump



Technical specifications

	U1 gutting line	U2 gutting line
Operators	8 persons	16 persons
Capacity	Up to 45 fish/minute	Up to 80 fish/minute
Power connection	3 x 400 V, 50 Hz*	3 x 400 V, 50 Hz*

* Please contact our sales team for other power connection possibilities

uni-food.com

Intelligent food machinery that makes the cut

Sharpen your competitive edge in fish processing with production lines built around your needs. Through smart customization, innovation, and automation, you gain more value from every catch. Together, we can achieve greatness in fish processing. It is in our DNA.

uni-food.com
+45 9677 4100
info@uni-food.com



Version 20262